.4	•		9£W
	Application No.	Applicant(s)	
	10/821,056	JENSEN, HENRIK	Т
Notice of Allowability	Examiner	Art Unit	
	Khai M. Nguyen	2819	
The MAILING DATE of this communication app. All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	S (OR REMAINS) CLOSED in this ap) or other appropriate communication RIGHTS. This application is subject to	plication. If not include will be mailed in due	ed course. THIS
1. This communication is responsive to <u>04/08/2004</u> .			
2. The allowed claim(s) is/are <u>1-30</u> .			
3. \boxtimes The drawings filed on <u>08 April 2004</u> are accepted by the E	xaminer.		
4. Acknowledgment is made of a claim for foreign priority u a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which gives 6. CORRECTED DRAWINGS (as "replacement sheets") must be considered by the Notice of Draftsperion.	e been received. e been received in Application No comments have been received in this of this communication to file a reply MENT of this application. Initted. Note the attached EXAMINER wes reason(s) why the oath or declarate st be submitted. Is son's Patent Drawing Review (PTO-	national stage applical complying with the red 'S AMENDMENT or Nation is deficient.	quirements
 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner Paper No./Mail Date 		Office action of	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t			back) of
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MATERIAL I FOR THE DEPOSIT OF BIOLOGIC	nust be submitted. I AL MATERIAL.	Note the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date	Paper No./Mail Da	(PTO-413), te nent/Comment	·

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. James A. Harrison on October 28, 2004.

The application has been amended as follows:

Claim 1, line 12, the word 'clampled' has been replaced by the word --clamped--.

Claim 13, line 9, the word 'clampled' has been replaced by the word -clamped--.

Allowable Subject Matter

- 2. Claims 1-30 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: none of the prior art discloses or fairly suggests a sampling rate converter and method of using the same, wherein the converter includes, among other unique things/features: a derivative estimation block for generating/producing derivative estimates of a data sequence; a clamped cubic spline (CCS) coefficient block/circuit for producing/generating coefficient values of the cubic polynomial based on the derivative estimates; and a CCS evaluation block/circuit (in response to or based on the derivative estimates, the coefficient values of the cubic polynomial, a specified value of time, and a trigger signal) for generating a

Application/Control Number: 10/821,056

Art Unit: 2819

down sampled data. The subject matter of the clamped cubic spline of the sampling rate

convert of the claimed invention is not found. Therefore, claims 1-30 are allowed.

Any comments considered necessary by applicant must be submitted no later

than the payment of the issue fee and, to avoid processing delays, should preferably

accompany the issue fee. Such submissions should be clearly labeled "Comments on

Statement of Reasons for Allowance."

Contact Information

4. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Khai M. Nguyen whose telephone number is 571-272-

1809. The examiner can normally be reached on 8:00 to 4:30 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Michael J Tokar can be reached on 571-272-1812. The fax phone number

for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

KN

October 28,2004

Michael Tokar

Dervisory Patent Examiner

Wila J. Tokan

Page 3

echnology Center 2800